	- POPULATION	N ESTIMAT	ES	LONG	G-TERM CARE		LOCAL HEAL	_TH DEPARTM	IENTS
1	002 Populati		•	Community Option MA Waiver Progr	ons and rams				Per 10,000
Popula	tion per squ	uare mile	16				Staffing - FTE	Number	Populátion
Count	y ranking ir	n state (	1-72) 65	COP MA_Waiver *	Clients	Costs	Total staff Administrative Professional staff Technical/Paraprof Support staff	12	7.1
			·	COP	5	\$91,346	Administrative	6	3.5
Age	Female	Male	Total	MA Waiver *			Professional staff	f 4	2.4
0-14	1,520	1,780	3,300	CIP1A	10	\$512,941	Technical/Paraprot	f	
15-19	700	710	1,420	CIP1B	50	\$872,600	Support staff	2	1.2
20-24	1,520 700 680 500 470	620	1,310	MA Walver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	8	\$98,181			
25-29	500	450	´950 940	COP-W	69	\$680,356	Funding Total Local Taxes		Per capita
30-34	470	470	940	CSLA	2	\$11,608	Total _	\$213,735	\$12.59
35-39	560	560 650	1,120	Brain Injury	•	\$0	Local Taxes	\$139,346	\$8.21
40-44	650	650	1,300	Total COP/Wvrs	144	\$2,267,030			
45-54	1,160 800 640 580	1,180	2,340				LICENSED E	STABLISHME	:NIS
55-64	800	810	1,600	\$229,729 01	the above	waiver costs	_		
65-74	640	530	1,180	were paid as	Local match	/overmatch	Type	Capacity	Facilities
75-84	580	410	980	using COP fund			Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	34	8
85+	340		470	not included :	in above co	P COSTS.	Camps	299	11
Total	8,590	8,320	16,910	* Waissan anats		hana	HOTEIS, MOTEIS	520	32
1 400	Fomolo	Molo	Total	* Waiver costs	s reported	nere	Pools	381	155
Age	Female	Male		include feder	ar runding	•	Restaurants		5 49
0-17 18-44	1,930 3,150	2,190 3,050	4,130 6,210		Clionto	Costs	Vending		49 2
45-64	1,960	1,990	3,940	   Eligible and	CITELLE	00515	vending		2
65+	1,560	1,990	2,630	Eligible and Waiting	105	n/a			
Total	8,590	8,320	16,910	Walting	123	II/a			
Total	0,590	0,020	10,910	   (Family Care no	nt nrovided	in county)	WIC PAF	STICIDANTS	
Poverty	Estimates 1	for 2000		i (ramitry dare no	or brovided	in country)	WIO TAI	TITOTI ANTO	
1	Fet:	imata	(C.I.+/-)			1			Number
All a	nes 2	2.010	145	Note: Eligible	and waitin	a clients	Pregnant/Postpartu	ım	
/ / / 4	goo	11.9%	( 7%)	will be phase	ed into the	COP and MA	Infants	a	318
Ages	ges 2 0-17	581	60	will be phase Waivers as av	vailable.	oor and w/	Children, age 1-4		496
, , , , ,	•	13.6%	(10%)				Total		1,151
i		.0.00	(100)				. 5 tul		.,
	EMPLO	OYMENT		1			CANCER INC	CIDENCE (20	000)
	wage for job			Home Health Age	encies	1	Primary Site	(	,
bv unemp	loyment comp	pensation	\$25,420	Dationte		100	Breast		21
Noto ho	and an nlaad	of work	•	Dotionto non	10,000 pop.	100	Cervical		1
	•		Annual	'	, , ,		Colorectal		13
Labor Fo	rce Estimate	es	Average	Nursina Homes		3	Lung and Bronchus		14
			3	Licensed beds		308	Prostate		16
Civilia	n Labor Ford	ce	8,431	Occupancy rate	Э	71.3%	Other sites		32
Numbe	r employed		7,661	Residents on [	Dec.31	209	Total		97
Numbe	r unempĺoyed	t	770	Residents age	65 or olde	r			
Unem	ployment rat	te	9.1%	per 1,000 por	oulation	75	Note: Totals shown		
	-			Nursing Homes Licensed beds Occupancy rate Residents on [ Residents age per 1,000 por			invasive cand	cers only.	
						<del>·</del>			

			NATA					
TOTAL LIVE BIRTHS		211			Percent	Marital Status		
			First	83	39	of Mother	Births	
Crude Live Birth Rate	!	12.5	Second	83 69	33	Married	129	61
General Fertility Rat	e	59.3	Third	27	13	Not married	82	39
-			Fourth or higher	32	15	Unknown	0	0
ive hirths with reno	rted		Second Third Fourth or higher Unknown	0	0	on the win	Ū	J
ive births with repo congenital anomalies	i cou	1 0.5%	Onknown	J	Ū	Education		
Songenital anomalies		1 0.5%	First Prenatal			of Mother	Dintho	Percent
Dolivony Typo	Dintho	Donoont	Visit	Dintho	Percent			
Delivery Type Vaninal after	BTLIL	Percent	1st trimester	BTLCHS	Percent	Elementary or le	188 1	<.5
Vaginal after	_	_	ist trimester	180	85	Some nigh school	. 28	13
_previous cesarean	/	3	2nd trimester	30	14	High school	98	46
Forceps	0	0	2nd trimester 3rd trimester No visits Unknown	1	<.5	Some high school High school Some college College graduate Unknown	56	27
Other vaginal	151	72	No visits	0	0	College graduate	28	13
Primary cesarean	35	17	Unknown	0	0	Unknown	0	0
Repeat cesarean	18	9						
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	0	0	Number of Prenatal	_		Smoking Status		
			0	مما الحمد في	Percent	of Mother	Births	Percent
Birthweight	Rirths	Percent	No visits	0	0	Smoker	69	33
<1 500 am	1	0.5	No visits 1-4	2	1	Nonsmoker	142	67
1 500-2 400 cm	10	4.7	5-9 10-12	30	1Ω	Unknown	0	0
2 500+ am	100	04.7	10 10	00	18 44	OHKHOWH	U	U
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	199	94.5	10-12	92 79				
UNKNOWN	ı	<.5	13+ Unknown	79 0	37 0			
			Low Birthweight (under 2,500 gm) Births Percent 9 5.7 * 2 3.9 Low Birthweight					
			Low Birthweight	10+ Tn	Irimest	er of First Prenata	I VISIT	Ulnknown
)£ N-+b	Diatha D		(under 2,500 gill)	ISC III	Tilles rei.	Ziid ii.Tillestei.	Other,	Oliknown
Race of Mother	Births F	ercent	Births Percent	Births	Percent	Births Percent	Births	Percent
White	159	/5	9 5.7	136	86	22 14	]	1
BTack	1	<.5	*	*	•	*	*	•
Other	51	24	2 3.9	43	84	8 16		
Unknown	0	0			•			
			Low Birthweight (under 2,500 gm)		Trimest	er of First Prenata	l Visit	
	Fe	ertility	(under 2.500 am)	1st Tr	imester	2nd Trimester	Other,	Unknown
Age of Mother	Births	Rate	Births Percent	Births	Percent	Births Percent	Births	Percent
<15	0							
15-17	6	15	: :	3	50	2 33	i	17
18-19	16	55		13	81	3 19		1 /
20-24	85	124	 7 8.2	74	87	11 13	•	•
	51	102					•	•
25-29				46	90		•	•
30-34	33	70	3 9.1	31	94	2 6	•	•
35-39	16	29	1 6.3	11	69	5 31		
40+	4	6	* .	*	•	* .	*	
Unknown	0				•			
Teenage Births	22	31				race category has le		

MORBIDITY			MO F	RTALITY		
REPORTED* CASES OF SELECTED DISEASES	Note: Death rates (   neonatal, and   Perinatal and	(except in d postneom d fetal de	nfant) are   natal death eath rates	recomment of the per 100,000 population. rates are per 1,000 livare per 1,000 live birth culated for fewer than 2	Infant, ve births. ns plus	
Disease Number Campylobacter Enteritis 9 Giardiasis <5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	ate	210 1,242	Selected   Underlying Cause   Heart Disease (total)   Ischemic heart diseas	Deaths 64 se 46	Rate 378 272
Hepatitis Type B** 0 Hepatitis NANB/C 9	Age 1-4	Deaths		Cancer (total)   Trachea/Bronchus/Lung	42 11	248
Legionnaire's 0 Lyme 6 Measles 0	5-14 15-19 20-34	1 1 2	•	Colorectal Female Breast Cerebrovascular Diseas	5 3	.* 118
Meningitis, Aseptic 0 Meningitis, Bacterial <5	35-54 55-64	11 19		Lower Resp. Disease Pneumonia & Influenza	10 7	
Mumps 0 Pertussis 0 Salmonellosis <5	65-74 75-84 85+	32 65 78		Accidents   Motor vehicle   Diabetes	7 3 11	
Shigellosis 0 Tuberculosis 0		70	10,017	Diabetes   Infect./Parasitic Dis   Suicide	. 2	
* 2002 provisional data ** Includes all positive HBsAg	Infant Mortality Total Infant Neonatal	Deaths 1	Rate	   * Rate for female brea   on female popula		based
test results	Neonatal Postneonatal Unknown	i i		ALCOHOL AND DRUG ABUSI OR CONTRIBUTING CAL	E AS UNDERL	
Sexually Transmitted Disease Chlamydia Trachomatis 32	Race of Mother	_	-	Alcohol	5	
Genital Herpes <5 Gonorrhea <5	White Black	1		Other Drugs Both Mentioned	1	
Syphilis 0	Other Unknown	:	•	MOTOR VEHIC		
IMMUNIZATIONS	Birthweight <1,500 gm 1,500-2,499 gm	:		Note: These data are of crash, not o	on residenc	e.
Children in Grades K-12 by Compliance Level Compliant 3,264	2,500+ gm Unknown	i	:	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons P Injured 98	ersons Killed 3
Compliance Level Compliant 3,264 Non-compliant 35 Percent Compliant 98.9	Perinatal			With Citation:		
	Mortality Total Perinatal	Deaths 2	Rate	For OWI For Speeding	24 2	0
	Total Perinatal Neonatal Fetal	2		For Speeding Motorcyclist Bicyclist Pedestrian	6 2 1	0 0 0
1	I					

						ALIZATIONS					
			Average		Charge				Average		Charge
DISEASE /			Stay		Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Рор	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related	l: All					Alcohol-Related	ł				
Total	142	8.4	4.2	\$9,399	\$79	Total	97	5.7	5.2	\$4,915	\$28
.40		0		40,000	Ψ. σ	18-44	76	12.2		\$4,059	\$50
18-44	25	4.0	2.6	\$5,558	\$22	Total 18-44 45-64	16			Ψ+,000	
45-64	23	5.8	3.0	\$6,669	\$39	Pneumonia and I	nfluenza	•	•	•	•
<18 18-44 45-64 65+	77	29.3	4.8		\$344	Total	102	6.0	4.5	\$7,413	\$45
Injury: Hip	Fracture	23.0	7.0	Ψιι,/-ι	ΨΟΤΤ	<18 45-64 65+	21	5.1	2.9	\$3,882	\$20
Total	15					15-64	21	5.3	3.5	\$6,941	\$37
65+	15	•	•	•	•	45-04   65+	2 I 5 Q	22.0	5.5	\$9,010	\$199
		•	•	•	•	Cerebrovascular	Dicacca	22.0	5.5	ψ9,010	ψισσ
Injury: Pois Total	22	1.3	3.0	\$5,760	\$7	Total	50	3.0	4.3	\$7,508	\$22
18-44	10			•	·	10ta1   45-64	8	3.0	4.3	φ7,506	<b>\$</b> 22
18-44	10			•	•	•		16.0	٠.	ф <b>т</b> 44 <b>7</b>	ф <b>11</b> 0
Davahiataia						65+	42	16.0		\$7,447	\$119
Psychiatric	004	44.0	- 4	ΦΕ ΕΩΩ	ФСС	Chronic Obstruc	cive buill			<b>#C 400</b>	Φ00
Total	201	11.9	5.4	\$5,523	\$66	Total <18 18-44 45-64 65+ Drug-Related	61	3.6	4.3	\$6,480	\$23
<18	34	8.2	5.3	\$4,643	\$38	<18	8	•		•	•
18-44 45-64	95	15.3	4.5	\$4,812	\$74	18-44	2	•		•	•
	57	14.5	6.9	\$6,786	\$98	45-64	12		•		•
65+	15					65+	39	14.8	4.9	\$7,321	\$109
_						Drug-Related					
Coronary Heart						l locar	10	•			
Total	88		3.4	\$10,350	\$54	18-44	9	•			
45-64	32	8.1		\$10,344	\$84						
65+	51	19.4	3.9	\$10,364	\$201	Total Hospitali	izations				
						Total	2,234	132.1	3.9	\$6,997	\$924
Malignant Neop	olasms (Ca	ncers):	All			<18 18-44 45-64 65+	341	82.6	2.8	\$2,883	\$238
Total	52 2	3.1	5.9	\$14,485	\$45	18-44	630	101.4	3.3	\$5,464	\$554
18-44	2			•		45-64	425	107.8	4.0	\$8,145	\$878
45-64	19					65+	838	318.5	4.8	\$9,243	\$2,944
18-44 45-64 65+	31	11.8	6.3	\$12,843	\$151					•	•
Neoplasms: F	emale Bre	ast (ra	ites for	femále po	opulation)	PR	EVENTABLE	HOSPIT	TALIZATIO	NS*	
Total	8	•		· •	• • •	Total	396	23.4	3.9	\$6,300	\$148
Neoplasms: C	olo-recta	1		_		<18	35	8.5	2.1	\$2,936	\$25
Total	12			_	_		54	8.7		\$4,548	\$40
65+	7	•	•	-	•	18-44 45-64	87		3.5	\$6,343	\$140
Neoplasms: L		•	•	-	•	65+	220	83.6	4.6	\$7,247	\$606
Total	5						0	00.0		Ψ',-''	ΨΟΟΟ
TOTAL	3	•	•	•	•						
Diabetes						* Hospitalizations	for cond	itions	where ti	mely and	effective
Total	24	1.4	4.2	\$7,714	\$11	ambulatory care ca	an reduce	the lik	ke⊥ihood	of hospi	ta⊥ization.
65+	8			•	•						
						l					